Contents of Volume 50

Vol. 50, No. 1 September (I) 2002

New pollen-specific receptor kinases identified in tomato, maize and *Arabidopsis*: the tomato kinases show overlapping but distinct localization patterns on pollen tubes
H.U. Kim, R. Cotter, S. Johnson, M. Senda, P. Dodds, R. Kulikauskas, W. Tang, I. Ezcurra, P. Herzmark, S. McCormick **1–16**

A set of modular plant transformation vectors allowing flexible insertion of up to six expression units
I.J.W.M. Goderis, M.F.C. De Bolle, I.E.J.A. François, P.F.J. Wouters, W.F. Broekaert, B.P.A. Cammue **17–27**

An F-box gene linked to the self-incompatibility (*S*) locus of *Antirrhinum* is expressed specifically in pollen and tapetum
Z. Lai, W. Ma, B. Han, L. Liang, Y. Zhang, G. Hong, Y. Xue **29–42**

***Arabidopsis thaliana* GATA factors: organisation, expression and DNA-binding characteristics**
G.R. Teakle, I.W. Manfield, J.F. Graham, P.M. Gilmartin **43–57**

Characterization of a stamen-specific cDNA encoding a novel plant defensin in Chinese cabbage
H.C. Park, Y.H. Kang, H.J. Chun, J.C. Koo, Y.H. Cheong, C.Y. Kim, M.C. Kim, W.S. Chung, J.C. Kim, J.H. Yoo, Y.D. Koo, S.C. Koo, C.O. Lim, S.Y. Lee, M.J. Cho **59–69**

Molecular cloning and characterization of *RAD51*-like genes from *Arabidopsis thaliana*
K. Osakabe, T. Yoshioka, H. Ichikawa, S. Toki **71–81**

Divergent regulation of the *HEMA* gene family encoding glutamyl-tRNA reductase in *Arabidopsis thaliana*: expression of *HEMA2* is regulated by sugars, but is independent of light and plastid signalling
M.L. Ujwal, A.C. McCormac, A. Goulding, A.M. Kumar, D. Söll, M.J. Terry **83–91**

A collection of sequenced and mapped *Ds* transposon insertion sites in *Arabidopsis thaliana*
S. Raina, R. Mahalingam, F. Chen, N. Fedoroff **93–110**

Characterization of *cis*-acting element involved in cell cycle phase-independent activation of Arath;*CycB1*;1 transcription and identification of putative regulatory proteins
S. Planchais, C. Perennes, N. Glab, V. Mironov, D. Inzé, C. Bergounioux **111–127**

Expression of a bacterial carotene hydroxylase gene (*crtZ*) enhances UV tolerance in tobacco
T. Götz, G. Sandmann, S. Römer **129–142**

Identification and mapping of a putative stress response regulator gene in barley
M. Malatrasi, T.J. Close, N. Marmiroli **143–152**

Erratum **153–155**

Vol. 50, No. 2 September (II) 2002

The *CRK1* receptor-like kinase gene of tobacco is negatively regulated by cytokinin
S. Schäfer, T. Schmülling **155–166**

PCNA protein associates to Cdk-A type protein kinases in germinating maize
M. de la Paz Sánchez, A. Torres, M.B. Boniotti, C. Gutierrez, J.M. Vázquez-Ramos **167–175**

Chloroplast protein import inhibition by a soluble factor from wheat germ lysate
E. Schleiff, M. Motzkus, J. Soll **177–185**

A single-base deletion in soybean flavonoid 3′-hydroxylase gene is associated with gray pubescence color
K. Toda, D. Yang, N. Yamanaka, S. Watanabe, K. Harada, R. Takahashi **187–196**

Transcripts for genes encoding soluble acid invertase and sucrose synthase accumulate in root tip and cortical cells containing mycorrhizal arbuscules
K.A. Blee, A.J. Anderson **197–211**

Suppression of a key gene involved in chlorophyll biosynthesis by means of virus-inducing gene silencing
J.-B. Hiriart, K. Lehto, E. Tyystjärvi, T. Junttila, E.-M. Aro **213–224**

Microsynteny between pea and *Medicago truncatula* in the *SYM2* region
G. Gualtieri, O. Kulikova, E. Limpens, D.-J. Kim, D.R. Cook, T. Bisseling, R. Geurts **225–235**

Molecular characterization of *AtNAM*: a member of the *Arabidopsis* NAC domain superfamily
M. Duval, T.-F. Hsieh, S.Y. Kim, T.L. Thomas **237–248**

***Arabidopsis thaliana* Atrab28: a nuclear targeted protein related to germination and toxic cation tolerance**
A. Borrell, M.C. Cutanda, V. Lumbreras, J. Pujal, A. Goday, F.A. Culiáñez-Macià, M. PagŁs **249–259**

AtSKθ, a plant homologue of SGG/GSK-3 marks developing tissues in *Arabidopsis thaliana*
R. Tavares, J. Vidal, A. van Lammeren, M. Kreis **261–271**

The Golgi localization of *Arabidopsis thaliana* β1,2-xylosyltransferase in plant cells is dependent on its cytoplasmic and transmembrane sequences
D. Dirnberger, P. Bencúr, L. Mach, H. Steinkellner **273–281**

Tobacco-expressed *Brassica juncea* chitinase BjCHI1 shows antifungal activity *in vitro*
K.-L. Fung, K.-J. Zhao, Z.-M. He, M.-L. Chye **283–294**

A cell wall protein down-regulated by auxin suppresses cell expansion in *Daucus carota* (L.)
A. Holk, L. Klumpp, G.F.E. Scherer **295–305**

Erratum **307**

Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in *Arabidopsis thaliana*
K. Ljung, A.K. Hull, M. Kowalczyk, A. Marchant, J. Celenza, J.D. Cohen, G. Sandberg **309–332**

Vol. 50, No. 3 October 2002

Expression of an insect (*Dendroides canadensis*) antifreeze protein in *Arabidopsis thaliana* results in a decrease in plant freezing temperature
T. Huang, J. Nicodemus, D.G. Zarka, M.F. Thomashow, M. Wisniewski, J.G. Duman **333–344**

Suppression of a ripening-related endo-1,4-β-glucanase in transgenic pepper fruit does not prevent depolymerization of cell wall polysaccharides during ripening
M.H. Harpster, D.A. Brummell, P. Dunsmuir **345–355**

Constitutive overexpression of a ripening-related pepper endo-1,4-β-glucanase in transgenic tomato fruit does not increase xyloglucan depolymerization or fruit softening
M.H. Harpster, D.M. Dawson, D.J. Nevins, P. Dunsmuir, D.A. Brummell **357–369**

A pistil-specific thaumatin/PR5-like protein gene of Japanese pear (*Pyrus serotina*): sequence and promoter activity of the 5′ region in transgenic tobacco
H. Sassa, K. Ushijima, H. Hirano **371–377**

The *OsEBP-89* gene of rice encodes a putative EREBP transcription factor and is temporally expressed in developing endosperm and intercalary meristem
H.-J. Yang, H. Shen, L. Chen, Y.-Y. Xing, Z.-Y. Wang, J.-L. Zhang, M.-M. Hong **379–391**

Molecular analysis of *de novo* pyrimidine synthesis in solanaceous species
N. Giermann, M. Schröder, T. Ritter, R. Zrenner **393–403**

Tobacco *Nia2* cDNA functionally complements a *Hansenula polymorpha* yeast mutant lacking nitrate reductase. A new expression system for the study of plant proteins involved in nitrate assimilation
G. Perdomo, F.J. Navarro, B. Medina, F. Machín, P. Tejera, J.M. Siverio **405–413**

***OsARF1*, an auxin response factor from rice, is auxin-regulated and classifies as a primary auxin responsive gene**
F. Waller, M. Furuya, P. Nick **415–425**

Expression patterns of two tobacco isoflavone reductase-like genes and their possible roles in secondary metabolism in tobacco
T. Shoji, R. Winz, T. Iwase, K. Nakajima, Y. Yamada, T. Hashimoto **427–440**

Over-expression of a seed specific hevein-like antimicrobial peptide from *Pharbitis nil* enhances resistance to a fungal pathogen in transgenic tobacco plants
J.C. Koo, H.J. Chun, H.C. Park, M.C. Kim, Y.D. Koo, S.C. Koo, H.M. Ok, S.J. Park, S.-H. Lee, D.-J. Yun, C.O. Lim, J.D. Bahk, S.Y. Lee, M.J. Cho **441–452**

Three sucrose transporter genes are expressed in the developing grain of hexaploid wheat
N. Aoki, P. Whitfeld, F. Hoeren, G. Scofield, K. Newell, J. Patrick, C. Offler, B. Clarke, S. Rahman, R.T. Furbank **453–462**

Developmental and tissue-specific expression of CaMV 35S promoter in cotton as revealed by GFP
G. Sunilkumar, L. Mohr, E. Lopata-Finch, C. Emani, K.S. Rathore **463–474**

Analysis of the Ca^{2+} domain in the *Arabidopsis* H^+/Ca^{2+} antiporters CAX1 and CAX3
T. Shigaki, C. Sreevidya, K.D. Hirschi **475–483**

A WD-repeat-containing putative regulatory protein in anthocyanin biosynthesis in *Perilla frutescens*
K. Sompornpailin, Y. Makita, M. Yamazaki, K. Saito **485–495**

The vascular expression pattern directed by the *Eucalyptus gunnii* cinnamyl alcohol dehydrogenase *EgCAD2* promoter is conserved among woody and herbaceous plant species
V. Lauvergeat, P. Rech, A. Jauneau, C. Guez, P. Coutos-Thevenot, J. Grima-Pettenati **497–509**

Cloning and functional expression of two plant thiol methyltransferases: a new class of enzymes involved in the biosynthesis of sulfur volatiles
J. Attieh, R. Djiana, P. Koonjul, C. Étienne, S.A. Sparace, H.S. Saini **511–521**

Plant mitochondrial *rps2* genes code for proteins with a C-terminal extension that is processed
G. Perrotta, J.M. Grienenberger, J.M. Gualberto **523–533**

Post-translational modification of barley 14-3-3A is isoform-specific and involves removal of the hypervariable C-terminus
C. Testerink, M.J. van Zeijl, K. Drumm, M.G. Palmgren, D.B. Collinge, J.W. Kijne, M. Wang **535–542**

Regulation of expression of the vacuolar Na^+/H^+ antiporter gene *AtNHX1* by salt stress and abscisic acid
H. Shi, J.-K. Zhu **543–550**

Seedling lethality in *Nicotiana plumbaginifolia* conferred by *Ds* transposable element insertion into a plant-specific gene
A. Majira, M. Domin, O. Grandjean, K. Gofron, N. Houba-Hérin **551–562**

Amino acid deletions in the cytosolic domains of the chlorophyll *a*-binding protein CP47 slow Q_A^- oxidation and/or prevent the assembly of Photosystem II
S.M. Clarke, C. Funk, G.S. Hendry, J.A. Shand, T. Wydrzynski, J.J. Eaton-Rye **563–572**

Light activates binding of membrane proteins to chloroplast RNAs in *Chlamydomonas reinhardtii*
W. Zerges, S. Wang, J.-D. Rochaix **573–585**

Vol. 50, Nos. 4–5 November (I, II) 2002

Knock-out of *Arabidopsis* metal transporter gene *IRT1* results in iron deficiency accompanied by cell differentiation defects
R. Henriques, J. Jásik, M. Klein, E. Martinoia, U. Feller, J. Schell, M.S. Pais, C. Koncz **587–597**

Subcellular localization of MURA and MURB proteins encoded by the maize *MuDR* transposon
A. Ono, S.-H. Kim, V. Walbot **599–611**

Leaf ESTs from *Stevia rebaudiana*: a resource for gene discovery in diterpene synthesis
J.E. Brandle, A. Richman, A.K. Swanson, B.P. Chapman **613–622**

Molecular cloning and functional expression in bacteria of the potassium transporters CnHAK1 and CnHAK2 of the seagrass *Cymodocea nodosa*
B. Garciadeblas, B. Benito, A. Rodríguez-Navarro **623–633**

Maize C4 and non-C4 NADP-dependent malic enzymes are encoded by distinct genes derived from a plastid-localized ancestor
S.L. Tausta, H.M. Coyle, B. Rothermel, V. Stiefel, T. Nelson **635–652**

Characterization of gene expression during potato tuber development in individuals and populations using the luciferase reporter system
J. Verhees, A.R. van der Krol, D. Vreugdenhil, L.H.W. van der Plas 653–665

The proline-rich, extensin-like receptor kinase-1 (PERK1) gene is rapidly induced by wounding
N.F. Silva, D.R. Goring 667–685

Characterization of the expression of a wheat cystatin gene during caryopsis development
F. Corre-Menguy, F.J. Cejudo, C. Mazubert, J. Vidal, C. Lelandais-Brière, G. Torres, A. Rode, C. Hartmann 687–698

Powerful effect of an atypical bifactorial endosperm box from wheat HMWG-Dx5 promoter in maize endosperm
F. Norre, C. Peyrot, C. Garcia, I. Rancé, J. Drevet, M. Theisen, V. Gruber 699–712

Plant 7SL RNA and tRNA^{Tyr} genes with inserted antisense sequences are efficiently expressed in an *in vitro* transcription system from *Nicotiana tabacum* cells
Y. Yukawa, J. Matoušek, M. Grimm, L. Vrba, G. Steger, M. Sugiura, H. Beier 713–723

The four subunits of mitochondrial respitory complex II are encoded by multiple nuclear genes and targeted to mitochondria in *Arabidopsis thaliana*
P. Figueroa, G. Léon, A. Elorza, L. Holuigue, A. Araya, X. Jordana 725–734

Regulation of alternative oxidase gene expression in soybean
I. Djajanegara, P.M. Finnegan, C. Mathieu, T. McCabe, J. Whelan, D.A. Day 735–742

Post-phloem protein trafficking in the maize caryopsis: *ZmTRXh1*, a thioredoxin specifically expressed in the pedicel parenchyma of *Zea mays* L., is found predominantly in the placentochalaza
G. Santandrea, Y. Guo, T. O'Connell, R.D. Thompson 743–756

Tissue-specific regulation of *BiP* genes: a cis-acting regulatory domain is required for *BiP* promoter activity in plant meristems
R.A.A. Buzeli, J.C.M. Cascardo, L.A.Z. Rodrigues, M.O. Andrade, R.S. Almeida, M.E. Loureiro, W.C. Otoni, E.P.B. Fontes 757–771

Expression analysis of the two ferrochelatase genes in *Arabidopsis* in different tissues and under stress conditions reveals their different roles in haem biosynthesis
D.P. Singh, J.E. Cornah, S. Hadingham, A.G. Smith 773–788

Expansins in the bryophyte *Physcomitrella patens*
O. Schipper, D. Schaefer, R. Reski, A. Fleming 789–802

AFLP-derived SCARs facilitate construction of a 1.1 Mb sequence-ready map of a region that spans the *Vf* locus in the apple genome
M. Xu, S.S. Korban 803–818

Vol. 50, No. 6 December 2002

Foreword 819–821

Methodologies for studying protein–protein interaction

Physical methods
A. Vitale 825–836

Phage display: practicalities and prospects
W.G.T. Willats **837–854**

Analysing protein-protein interactions with the yeast two-hybrid system
B. Causier, B. Davies **855–870**

Imaging protein-protein interactions in living cells
M.A. Hink, T. Bisseling, A.J.W.G. Visser **871–883**

Plant protein-protein interaction case studies

Protein-protein interactions in the secretory pathway, a growing demand for experimental approaches *in vivo*
P. Pimpl, J. Denecke **887–902**

BP-80 as a vacuolar sorting receptor
N. Paris, J.-M. Neuhaus **903–914**

The plant cytoskeleton: recent advances in the study of the plant microtubule-associated proteins MAP-65, MAP-190 and the *Xenopus* MAP215-like protein, MOR1
P.J. Hussey, T.J. Hawkins, H. Igarashi, D. Kaloriti, A. Smertenko **915–924**

Multi-protein complexes in eukaryotic gene transcription
E. Martinez **925–947**

Protein-protein interactions required during translation
D.R. Gallie **949–970**

Protein complexes mediate signalling in plant responses to hormones, light, sucrose and pathogens
C. Ellis, J.G. Turner, A. Devoto **971–980**

Protein-protein interactions in pathogen recognition by plants
A.J. Bogdanove **981–989**

14-3-3 Proteins

Functional specificity in 14-3-3 isoform interactions through dimer formation and phosphorylation. Chromosome location of mammalian isoforms and variants
A. Aitken **993–1010**

Evolution and isoform specificity of plant 14-3-3 proteins
P.C. Sehnke, M. Rosenquist, M. Alsterfjord, J. DeLille, M. Sommarin, C. Larsson, R.J. Ferl **1011–1018**

14-3-3 proteins and plant development
H. Fulgosi, J. Soll, S. de Faria Maraschin, H.A.A.J. Korthout, M. Wang, C. Testerink **1019–1029**

14-3-3 proteins and the response to abiotic and biotic stress
M.R. Roberts, J. Salinas, D.B. Collinge **1031–1039**

14-3-3 protein regulation of proton pumps and ion channels
T.D. Bunney, P.W.J. van den Wijngaard, A.H. de Boer **1041–1051**

Metabolic enzymes as targets for 14-3-3 proteins
S.C. Huber, C. MacKintosh, W.M. Kaiser **1053–1063**

Instructions for authors **1065–1068**

Volume contents **1069–1074**

Author index **1075–1076**